

Lake Restoration Aqua Stormfuro®



Lake Restoration, Inc.

12425 Ironwood Circle
Rogers, MN 55374

LakeRestoration.com

Toll Free: 1-877-428-8898
In Minnesota: 763-428-9777
Fax: 763-428-1543

TABLE OF CONTENTS

Safety / Warnings / Specs	2
Product Introduction	3
Assembly Instructions	4-5
Warranty Information	6

The Lake Restoration Aqua Stormfuro is Manufactured in the USA
by Lake Restoration, Inc. in Rogers, MN.

SAFETY/ WARNINGS:

Lake Restoration

- NEVER enter the water when equipment is plugged in and operating.
- Remain cautious of moving parts on equipment.
- Be cautious while working around water, especially cold water, as this could pose other hazards, such as hypothermia, if you are exposed.
- Always lift with care.
- Make sure the unit is plugged into a GFCI circuit.
- Do not place extremities inside cage of unit when plugged in or operating.
- Remove unit before temperatures reach below freezing and before ice formation begins.

MAINTENANCE:

- At the end of season, remove unit and clean with a hose and scrub with a bristle brush before storing for winter.



SPECS:

Model	Voltage	Operating Amps
½ HP	115V	10 Amps

Cord Length: 50ft

Operating Depth: 1-4 ft

Dock mount pole length: 4 ft

PRODUCT INTRODUCTION:

Thank you for purchasing Lake Restoration Aqua Stormfuro! The Aqua Stormfuro is a great tool for your dock and swim area to keep muck and weeds at bay. A blast of water under the surface keeps debris and weeds from entering your property. The Aqua Stormfuro is the only product of its kind with a cage on both the inflow and outflow ends of the unit. This increases safety from the impeller blade for people in the water surrounding the Aqua Stormfuro.



Convenient and guaranteed, this product is an excellent choice for chemical-free weed and muck removal.

Our dock mount or pole mount allow for sturdy attachment to your dock. Easily move the Aqua Stormfuro and angle it to the desired position. Share with neighbors!

CHECKLIST:

Aqua Stormfuro 1/2 Horse Power:

Parts (Provided):

- Motor (unit) and cord
- Dock Mount or Pole Mount with U-bolts
- Clamp bodies with 3/8" bolts and washers

Parts needed:

- 9/16" Wrench
 - To tighten clamp bodies around the 4 ft pole.
 - To adjust the Aqua Stormfuro's angle.
- If using the dock mount: Bolts and washers to fasten the mount to your dock.
- If using the pole mount: 9/16" wrench to tighten the U-bolts to a dock post.

ASSEMBLY INSTRUCTIONS:

* Note: Due to weight of product, you may require two people for installation. You will likely need to enter the water for installation.

Mounting the Aqua Stormfuro:


Assembly Instructions:

1. Attach your Aqua Stormfuro using one of two methods. You can chose to screw the dock mount (shown to right) into your dock, or you can use the supplied pole mount U-bolts (shown below) to attach to a pole on your dock.



Dock Mount:

Set the dock mount on your dock in the location you would like to have the Aqua Stormfuro located. Fasten the mount to the dock; it is recommended to use bots and washers.



OR

Pole Mount:

Using the supplied U-bolts, attach the pole mount to a dock post where you want the Aqua Stormfuro located.




2. Adjusting Angle of Aqua Stormfuro

Before putting your unit in the water, you can adjust the angle at which the unit will be blowing water.

Loosen nut located on the slide bracket on the side of the unit 1/2 a rotation, adjust head of unit to desired angle, and

re-tighten nut to secure angle.

Please check with your local authorities to understand regulations on angle permitted in your area



3. Secure the 4' extension pole to the unit by threading the bottom of the pole to the top of the unit. Screw in clockwise until pole is fully screwed into the unit. Test security of the pole and unit. When the pole is securely threaded into the unit, it can be moved to the dock area for installation.

4. Once your dock mount or pole mount is fixed to your dock, slide the 4 foot pole up through the green clamp bodies. Tighten the clamp bodies using a 9/16" wrench.



5. Plug in the Aqua Stormfuro.

WARRANTY INFORMATION

Lake Restoration, Inc. (LRI) warrants that this product is free from defective material and workmanship. LRI further warrants that if this product fails to operate properly within one year of the purchase date and the failure is due to improper workmanship or defective material, LRI will repair or replace the product at LRI's option. Items that have been used cannot be refunded due to safety and environmental concerns.

Please keep your receipt for your purchase to establish warranty timeframe. Please contact Lake Restoration before 877-428-8898 before shipping to us.

RETURNS

This Aqua Stormfuro may be returned within 60 days of purchase if it has not been placed in the water or operated. Please contact us regarding needed repairs.

You must return whole, in-tact Aqua Stormfuro assembly. If any part of the assembly is lost, removed or damaged by owner, parts will be replaced at owners expense. If lost, removed, or damaged parts by the customer are the cause of the issue, the warranty will be voided.

Please include your name, address, phone number, and email address inside packaging for identification. The product will be shipped to Lake Restoration at the owner's expense. In return, Lake Restoration will return the warranted product at our expense by ground freight.

Shipping and handling charges will not be refunded unless an error occurred on our part in the shipment of your order.

DAMAGES:

Please inspect the packaging of your item(s) when they arrive. If your item(s) arrived damaged, please email photos to LRmail@LakeRestoration.com.

THE WARRANTY IS VOID UNDER THESE SITUATIONS:

1. If any component on the Aqua Stormfuro is altered in any way
2. Lack of necessary maintenance of the product which contributed to the problem.
3. Damage due to tampering by customer

Please contact us at (877)428-8898 with any questions about our warranty or returns.



LakeRestoration.com

Phone: 877-428-8898

Email: LRmail@LakeRestoration.com

04/15/22